#### **GDO - Graphic Department Origgio**

#### 185 x 210 mm Format: anofi Plant barcode: 1004 PACKAGING TEAM Colours: - Blu Reflex C 4827390A - P 485 C Update: V01 - 11-04-2016 Local code: Fonts: Futura Light Cond / Light Cond Oblique / Bold / Bold Current item code: Oblique Minimum point size of text: 7,5 pt Product/Item type: | Istruzione - Fronte Assembly Card: Enterogermina 2 MLD Layout of Cutting: Country: Technical Card Arabia Saudita Technical Constraint Artwork by: Origgio APPROVAL DATE: Plant: Origgio Supplier code: REJECTED SIGNATURE:

Impianti di proprietà Sanofi S.p.A.

Vietata la manomissione - Rendere dopo la stampa

# Enterogermina®



2 milliards/5 ml, suspension buvable / 2 billion/5 ml oral suspension Spores de Bacillus clausii polyantibio-résistantes/Spores of poly-antibiotic resistant Bacillus clausii

SANOFI 🧳

#### BEFORE TAKING THIS PRODUCT PLEASE READ ALL THE INFORMATION CONTAINED IN THE LEAFLET CAREFULLY

anal product for selt-medication that you can use to treat mild, transitory disturbances that are easily recognisable and resolvable without needing to seek n It can therefore be bought without a prescription, but should be used correctly in order to guarantee its efficacy and minimise the undesired effects. For further information and advice, ask the pharmacist. Seek medical advice if the problem does not clear up after a short period of treatment.

#### In this leaflet:

- What ENTEROGERMINA is and what it is used for
- Before you take ENTEROGERMINA How to take ENTEROGERMINA
- Possible side effects
- How to store ENTEROGERMINA

## 1. WHAT IS ENTEROGERMINA AND WHAT IT IS FOR

Entrogermina support the Balance of beneficial bacteria IN Gastro Intestinal Tract system.

#### 2. BEFORE YOU TAKE ENTEROGERMINA

If one notes the presence of corpuscles, that is to say minute particles, in the bottles of ENTEROGERMINA, this does not mean that the product has undergone any changes; they are just aggregates of the Bacillus clausii spores. Health education notes

The intestinal bacterial flora constitutes a true defence barrier against harmful bacteria. Its balance can be disturbed by intestinal infections, intoxication, alimentary disorders, changes in diet, the use of antibiotics. This imbalance makes itself manifest with diarrhoea, increased amounts of air in the bowel.

## Do not take ENTEROGERMINA

ensitive) to the active substance or any of the other ingredients. Taking other medicines

During therapy with antibiotics, ENTEROGERMINA should be administered in the interval between one dose of antibiotic and the next. There are no known medicinal products or foods that can modify the effect of

Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without a prescription.

Pregnancy and breast-feeding ENTEROGERMINA may be used during pregnancy and while breast-feeding.

# 3. HOW TO TAKE ENTEROGERMINA

#### Dosage Adults:

2 - 3 bottles per day. Children: 1 - 2 bottles per day. 1 - 2 bottles per day. Babies:

ended doses without first consulting a doctor.

# Method and route of administration

This product is for oral use only. Do not inject or administer in any other way. The bottle should be shaken before use. To open the bottle, twist the upper part and break off. Swallow the content of the bottle as it is or dilute it in water or some other beverage (e. g. milk, tea, orange juicel,

Once opened, the product should be used within a short space of time to avoid pollution of

# Frequency of administration

Take ENTEROGERMINA at regular intervals during the day. Consult your doctor if the problem continues to reoccur or if you have noted any recent

# **Duration of treatment**

portant; use only for short periods of treatment.

# If you take more ENTEROGERMINA than you should

# If you forget to take ENTEROGERMINA

There are no particular problems. It should regular administration aids the therapeutic ef be remembered, however, that correct and

# If you stop taking ENTEROGERMINA

particular problems have been reported, apart from a lack of therapeutic effect.

# u have any further questions on the use of this product, ask your doctor or pharmacist.

4. POSSIBLE SIDE EFFECTS ke all medicines, ENTEROGERMINA can cause side effects, although not everybody gets

# Hypersensitivity reactions including rash and urticaria have been reported in post-marketing

Following the instructions given on this package leaflet reduces the risk of undesired effects. If any of the undesired effects gets serious, or if you notice any undesired effects not listed in this leaflet, please tell your doctor or pharmacist.

## 5. HOW TO STORE ENTEROGERMINA

Store at a temperature no higher than 30° C.
Shelf life: see the expiry date printed on the package.
Important: do not use the product after the "use by" date indicated on the container. This date refers to the product in its original unpopend packaging, correctly stored.

#### KEEP THE MEDICINE OUT OF THE REACH AND SIGHT OF CHILDREN

edicines should not be disposed of via wastewater or pharmacist how to dispose of medicines no longer required. These measures will help to It is important to always have the information regarding the medicine at hand, so keep both

the packet and the package leaflet

#### 6. FURTHER INFORMATION What ENTEROGERMINA contains

- The active substance is: spores of poly-antibiotic resistant\* Bacillus clausii. Each bottle contains 2 billion spores of poly-antibiotic resistant\* Bacillus clausii.

The other ingredient is: purified water.

\* "Polyantibiotic resistant" means resistant to a certain number of antibiotics. This is an extremely important characteristic of ENTEROGERMINA, which makes it possible to take it even during treatment with antibiotics, with the aim of preventing imbalance of the intestinal flora caused by the antibiotics themselves (penicillins, cephalosporins, tetracyclines, macrolides, aminoglycosides, novobiocin, chloramphenicol, thiamp isoniazid, cycloserine, rifampicin, nalidixic acid and pipemidic acid). thiamphenicol, lincomycin,

Contents of the pack
Boxes containing 10 or 20 5-millilitre bottles.
Not all pack sizes may be marketed.

**Marketing Authorisation Holder** S.p.A. - Viale L. Bodio, 37/b - IT-20158 Milan (Italy)

Manufacturer

sanofi-aventis S.p.A. Viale Europa, 11 - Origgio (VA) - Italy

# This leaflet was last approved in



## **GDO - Graphic Department Origgio**

Sanofi PACKAGING TEAM		Format:         185 x 210 mm           Plant barcode:         1004           Colours:         2	
Code: 482739 Update: V01 - 11-04 Local code: Current item code:  Product/Item type: Istruzione - Re Enterogermini Country: Arabia Saudita	2016 etro a 2 MLD	- Blu Reflex C - P 485 C - Security - Securi	
Artwork by: Origgio Plant: Origgio Supplier code:		APPROVAL DATE: REJECTED SIGNATURE:	
Impianti di proprietà Sanofi S.p.A.		Vietata la manomissione - Rendere dopo la stampa	



# عبر الفم

# عدم الحقن

أن هذا الدواء اتبع بدقة وصفة الطبيب وطريقة الاستعمال المنصوص عليها وتعليمات الصيدلي الذي صرفها لك. لطبيب والصيدلي هما خبيران في الدواء وفي نفعه وضرره .

لا تقطع مدة العلاج المحددة لك من تلقاء نفسك. لا تكرر صرف الدواء بدون استشارة الطبيب. لا تترك الادوية في متناول الاطفال.

مجلس وزارة الصحة العرب واتحاد الصيادلة العرب.

## ألشكه المصنعة

sanofi-aventis S.p.A. Viale Europa, 11 - Origgio (VA) - Italy

حامل رخصة التسويق:

sanofi-aventis S.p.A. - Viale L. Bodio, 37/b - IT-20158 Milan (Italy)

التاريخ الذي تم فيه التصديق على هذه النشرة هو شباط 2010

To report any side effect at Saudi Arabia: لإبلاغ عن الأعراض الجانبية بالمملكة العربية السعودية لمركز الوطني للتيقظ والسلامة الدوائية: باكس: 00966112057662 لهاتف المجاني: 8002490000 National Pharmacovigilance & Drug Safety Centre (NPC) Fax: 00966-11-205-7662 Toll free phone: 8002490000 npc.drug@sfda.gov E-mail: npc.drug@sfda.gov.sa inpc.ti ng@sida.gov.si بلوقع الإلكتروني: مانوفي - التيقظ الدوائي: KSA\_Pharmacovigilance@sanofi.con Website: www.sfda.gov.sa/npc Sanofi Pharmacovigilance: KSA\_Pharmacovigilance@sanofi.com

# إنتيروجيرمينا

2 مليار/5 ملا ،، معلق للشرب

اقرأ حيدا هذه النشرة باكملها قبل استعمال هذا الدواء.

هذا الدواء هو مخصص للتطبيب الذاتي. يمكن استعماله لمعالجة اضطرابات خفيفة وعابرة يسهل التعرف عليها ويمكن

معالجتها دون اللجوء إلى طبيب. يمكن الحصول عليه من دون وصفة طبية ولكن يجب استعماله بشكل صحيح لضمان فعاليته وتخفيض التأثيرات غير المرغوبة. إن كنت بحاجة إلى مزيد من المعلومات والنصائح، اتصل بالصيدلاني. في حال استمرار الاعراض عد فترة قصيرة من المعالجة استشر طبيبا.

ما هو إنتيروجيرمينا وفي اية حالة يستعمل ما هي المعلومات الواجب معرفتها قبل تناول إنتيروجيرمينا

كيف يعطى إنتيروجيرمينا ما هي التأثيرات غير المرغوبة المحتملة

كيف يحفظ إنتيروجيرمينا معلومات إضافية

ما هو إنتيروجيرمينا وفي اية حالة يستعمل

انتيروجيرمينا هو بروبيوتيك يدعم توازن البكتيريا النافعة في الجهاز الهضمي .

المحقن عدم الحقن



. . و بـع ي ببسل او سبق البسل. اول إنتيروجيرمينا أبدا : إذا كان لديك حساسية (حساسية مفرطة) للمادة الفعالة أو لاحدى المكونات الاخرى. تناول أدوية أخرى: في حال استعماله أثناء المعالجة بضاد حيوي، ينصح بتناول إنتيروجيمينا بين جرعتين متناليتين من المضاد الحيوي. ليس هناك دواء أو غذاء معروف عكن أن يؤثر على فعالية إنتيروجيمينا . إذا كنت تتناول أو تناولت مؤخرا دواء اخر، چا في ذلك دواء حصلت عليه من دون وصفة طبية، يجب أن تطلع طبيبك أو الصيدلاني عن ذلك. الحمل والارضاع: مِكن استعمال إنتيروجيرمينا خلال فترة الحمل والرضاعة.

ما هي المعلومات الواجب معرفتها قبل تناول إنتيروجيرمينا

إن الوجود المحتمل لجسيمات، أي جزيئات صغيرة جدا، ظاهرة في قارورات إنتيروجيرمينا هو نتيجة تكدس أبواغ العصية

ن الوجود مصفع لجسيده... بن جزيبات عنجين بعد طاهره في مزورت إلمورجيزيينا هو ليبيات تعدس ابون المعقيد الملقلة (Bacillus clausin) وليساد تتقيف صحي: الزمرة الجرثومية المعوية تمثل حاجزا دفاعيا حقيقيا ضد البكتريا الضارة. توازنها يمكن أن يصاب خلل بسبب

المقادير البالغون: قارورتين إلى 3 قارورات في اليوم.

إسهال، أوجاع في البطن أو تطبل البطن.

. رود عند المحدد المحدد في اليوم. الأطفال: قارورة إلى قارورتين في اليوم. الرضع: قارورة إلى قارورتين في اليوم

انتبه: يجب عدم تجاوز المقادير الموصوفة من دون استشارة الطبيد

... هذا الدواء مخصص للإستعمال عن طريق الفم. يجب عدم حقنه وعدم إعطائه بطرق أخرى. رج القارورة قبل الإستعمال. لفتحها، أدر الجزء العلوي وأنزعه. تناول محتوى القارورة كما هو أو خففه بالماء أو في مشروب اخر (مثلا حليب، شاي ، عصير برتقال )

وتيرة الاستعمال: يحب تناول انتروح مينا بأوقات منتظمة خلال النهار استشر الطبيب في حال إستمرار الإضطرابات أو إذا لأحظت تغييرا حديثا في ظواهرها.

مدة المعالحة: انتبه: إستعمل إنتيروجيرمينا فقط للعلاجات قصيرة الامد.

إذا تناوات أكثر ما يعنى نانتيروجيرمينا : أن تناول جرعات مفرطة من إنتيروجيرمينا لا يترافق عموما مع تأثيرات ثانوية غير أنه من المستحسن التقيد بالمقادير الموصوفة . إذا نسيت تناول إنتيروجيرمينا : لا يؤدي ذلك إلى مشكلة خاصة. الإ أنه يجدر التذكير بأن تناول الجرعة الصحيحة والإستعمال الدقيق للدواء يساهمان في فعاليته.

سجوي سور. ويتسعدون محتفية . إذا توقفت عن تناول التيروجيرميا: لم يبلغ عن أي تاثير خاص، بإستثناء غياب التأثير العلاجي. أن كان لديك اسئلة أخرى عن استعجال هذا الدواء، اطلب المزيد من المعلومات من طبيبك أو من الصيدلاني.

ما هي التاثيرات غير المرغوبة المحتملة

مثل جميع الأدوية، يكن لإنتروجومينا أن يسبب تأثيرات غير مرغوبة، الإ أن ذلك لا ينطبق على الجميع. منذ تسويق هذا الدواء، تم التبليغ عن تفاعلات تحسسية من ضمنها طفح جلدي وشرى. التقيد بالتعليمات الموجودة في النشرة يخفف مخاطر التأثيرات الجانبية.

في حال تفاقم إحدى التأثرات أو في حال لاحظت تاثرا غير مرغوب لم يتم ذكره في هذه النشرة، اعلم طبيبك أو الصيدلاني بذلك.

كيف يحفظ انتيروجيرمينا يحفظ في حرارة لا تزيد عن 30 درجة مثوية.

تاريخ انتهاء الصلاحية: راجع التاريخ الأقصى للإستعمال المدون على العلبة. إنتبه: يجب عدم تناول الدواء بعد تاريخ انتهاء الصلاحية المدون على العلبة.

تاريخ انتهاء الصلاحية هذا لا يكون صالحا الإ إذا كان الدواء محفوظا بشكل صحيح في غلافه السليم. احفظ الدواء بعيدا عن متناول الأطفال وعن بصرهم يجب عدم رمي الادوية بتاتا في المجاري أو مع النفايات المنزلية. إسال الصيدلاني عن كيفية التخلص من الأدوية غير المستعملة.

هذه التدابير تسمح بحماية البيئة. من المهم أن يكون دامًا متناولك المعلومات المتعلقة بالدواء: لذلك يجب حفظ العلية والنشرة.

معلومات اضافية على ماذا يحتوي إنتيروجيرمينا ؟

-المادة الفعالة هي: أبواغ العصية المغلقة (Bacillus clausii) متعددة المقاومة للمضادات الحيوية\*. -المكونات الاخرى هي: ماء نقي. متعددة المقاومة للمضادات الحيوية"يعني مقاومة لعدد معين من المضادات الحيوية. انها ميزة في غاية الاهمية لانتروجيرمينا

تسمح بتناول الدواء، حتى خلال فُرَّرَة المُعالِحة بَالمُصاد الحيويّ من اجل تفادي اختلال توازن الرَّمْرة الجرثومية المحوية التي تس المضادات الحيوية نفسها(بنسيلين،سيفالوسبورينات، تيرّاسيكاين، ماكروليدات، أمينوزيد، نوفوبيوسين، كلورامفينيكول، تيامفينيكول، لانكوميسين، ايزونيازيد، سيكلوزيرين، ريفامبيسين، حمض ناليديكسيك وحمض بيبيميديك). محتوى الغُلاف الخَارْجي

علبة من 10 قوارير سعة 5 ملل .

علبة من 20 قارورة سعة 5 ملل .

4827390A

# 4827390A - IST ENTEROGERMI 2MLD 5ML BT SA

Plant: ORIGGIO - ITALY

Packaging material code: 4827390A

Packaging material name: IST ENTEROGERMI 2MLD 5ML BT

SA

Second packaging material code:

VISTAlink folder number: 2074708

VISTAlink PDF version: 1

This document has been digitally signed by the following people within the VISTAlink system, following the sanofi-aventis group guidelines.

Reason	Signed by	Date
Market regulatory validation	Abdullah Alshehri (Saudi Arabia regulatory team)	17/04/2016 08:21:34
Plant final technical validation	Marco Airoldi (Origgio Artwork Management team)	27/05/2016 16:40:48
Plant ready to print	Marco Airoldi (Origgio Artwork Management team)	27/05/2016 16:41:02